



PATENT
Customer Number 22,852
Attorney Docket No. 04329.2509

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Kazuya Sato et al.) Notice of Allowance Dated:
) December 23, 2003
Application No.: 09/783,295)
) Confirmation No.: 2644
Filed: February 15, 2001)
) Group Art Unit: 2877
For: METHOD FOR INSPECTING)
EXPOSURE APPARATUS) Examiner: Nguyen, Tu T.

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

SUBMISSION OF REPLACEMENT DRAWINGS

Filed herewith are ONE (1) sheet of replacement patent drawings containing ONE (1) figure. It is requested that these drawings be made of official record in the above-identified patent application.


If there are any fees due in connection with the filing of these drawings, please charge the fees to our Deposit Account No. 06-0916. If a fee is required for an extension of time under 37 C.F.R. 1.136 not accounted for above, such an extension is requested and the fee should also be charged to our Deposit Account.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: March 22, 2004

By: _____


Richard V. Burgujian
Reg. No. 31,744